Notice of Allowability	Application No.	Applicant(s)
	10/706,161	NEEL ET AL.
	Examiner	Art Unit
	Maureen M. Wallenhorst	1743
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. A This communication is responsive to the amendment received on May 9, 2005 and arguments received on March 30, 2005.		
2. The allowed claim(s) is/are 39-41 (renumbered 1-3).		
3. The drawings filed on 12 November 2003 are accepted by the Examiner.		
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. ☐ Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	√ 5. ☐ Notice of Informal Pa	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary (
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 3/30/05	Paper No./Mail Date	<u> </u>
4. ☐ Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Statemer	nt of Reasons for Allowance
of Biological Material	9.	

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04) Application/Control Number: 10/706,161

Art Unit: 1743

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

On page 2 of the specification in the section entitled "Cross-Reference to Related Applications", the phrase "This application is a continuation-in-part of U.S. Patent Application Serial no. 10/420,995, filed April 21, 2003 and is also a continuation-in-part of U.S. Application Serial no. 10/286,648, filed November 1, 2002, now U.S. Patent no. 6,743,635, issued on June 1, 2004, which" was deleted and changed to the following:

- -- This application is a divisional of U.S. Application Serial no. 10/286,648, filed November 1, 2002, now U.S. Patent no. 6,743,635, issued on June 1, 2004, which--since the instant application was originally designated in the specification as being a divisional of application serial no. 10/286,648.
- 2. The following is an examiner's statement of reasons for allowance: Application serial no. 10/706,161 is being allowed since none of the prior art of record teaches or fairly suggests a method wherein a meter enters into an active mode from a sleep mode by detecting a current flow through an auto-on conductor located on either a test strip or a check strip inserted into the meter, followed by a step of determining if a measured voltage drop across the auto-on conductor is indicative of a test strip or a check strip based upon a comparison between the voltage drop and a predetermined value.

Application/Control Number: 10/706,161

Art Unit: 1743

Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

3. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Maureen M. Wallenhorst whose telephone number is 571-272-

1266. The examiner can normally be reached on Monday-Wednesday from 6:30 AM to 4:00

PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Jill Warden, can be reached on 571-272-1267. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Maureen M. Wallenhorst

Primary Examiner

Art Unit 1743

mmw

May 17, 2005

Maureen M. Wallenhorst MAUREEN M. WALLENHORST PRIMARY EXAMINER

GROUP 100

Page 3